

# EHang GHOST 2.0 User Toolkit Manual

## Contents

1. About.....	2
2. System Requirements.....	2
3. Instructions.....	2

### 1. About

The firmware of GHOSTDRONE will be updated to the latest version available at the time of shipping. However, EHang have been and will be updating the firmware to improve the flight performance and offer better user experience. It is strongly recommended that users download the EHang GHOST 2.0 User Toolkit to keep the firmware of your GHOSTDRONE up to date.

### 2. System Requirements.

Currently EHang GHOST 2.0 User Toolkit only supports Windows 10, Windows 8.1, Windows 8 , Windows 7 operating system.

### 3. Instructions

#### 3.1. Unzip the file. Click “EHangGHOST2UserToolkit.exe” to install the toolkit.

Once it is installed, a shortcut will be created on the desktop as shown below.



#### 3.2. Double click the “EHang GHOST 2.0 User Toolkit” icon to open the user toolkit.




3.3. Connect the aircraft to the computer with USB cable. Click “Connect” only when you see the headlight of GHOSTDRONE is flashing steadily. Once GHOSTDRONE is successfully connected to User Tool Kit, you should see the screen below.









- 3.4. Click “Update firmware”.The latest firmware update will be downloaded to your computer. When download is completed, you will see the latest firmware version and its release date.



- 3.5. Click “Update now” and follow the instructions in the pop-up window. Disconnect the USB cable from the computer and re-connect it in 30 seconds, the firmware update process will start. And the progress will be shown in the pop-up window below.



- 3.6. After the firmware has been updated, there will be a pop-up window for configuring the parameters in the flight control system. Wait until the headlight of GHOSTDRONE is flashing steadily, then click "Connect". And the progress will be shown in the pop-up window.



3.7. When the progress bar reaches 100%, updating is completed. And you will see the confirmation screen as below.

